

- Albarqouni, L., et al (2021). Head of bed elevation to relieve gastroesophageal reflux symptoms: a systematic review. BMC family practice, 22(1), 24.
- Blot, S. I., Poelaert, J., & Kollef, M. (2014). How to avoid microaspiration? A key element for the prevention of ventilator-associated pneumonia in intubated ICU patients. BMC infectious diseases, 14, 119.
- Brodsky, M. B., et al. (2016). Screening Accuracy for Aspiration Using Bedside Water Swallow Tests: A Systematic Review and Meta-Analysis. *Chest*, 150(1), 148–163.
- Caldeira, D., et al (2012). Risk of pneumonia associated with use of angiotensin converting enzyme inhibitors and angiotensin receptor blockers: systematic review and meta-analysis. BMJ (Clinical research ed.), 345, e4260.
- Cardasis, J. et al (2014). The spectrum of lung disease due to chronic occult aspiration. Annals of the American Thoracic Society, 11(6), 865–873.
- Carlaw, C., et al, (2011) Outcomes of a pilot water protocol project in a rehabilitation setting Dysphagia, DOI 10.1007/s00455-011-9366-9.
- Cassidy, M. et al. (2013). I COUGH: reducing postoperative pulmonary complications with a multidisciplinary patient care program. *JAMA* surgery, 148(8), 740–745.
- Cassidy, M. et al. (2020). The I COUGH Multidisciplinary Perioperative
 Pulmonary Care Program: One Decade of Experience. Joint Commission



- Daggett, A., et al (2006) Laryngeal Penetration During Deglutition in Normal Subjects of Various Ages, Dysphagia, 21(4), 270-74.
- Day, R et al, (2014) Human aquaporins: Regulators of transcellular water flow.
 Biochimica et biophysica Acta, 1840, 1492-506.
- de Camargo, L., da Silva, S. N., & Chambrone, L. (2019). Efficacy of toothbrushing procedures performed in intensive care units in reducing the risk of ventilator-associated pneumonia: A systematic review. *Journal of* periodontal research, 54(6), 601–611.
- DeLuca, L. et al (2017). Impact and feasibility of an emergency department-based ventilator-associated pneumonia bundle for patients intubated in an academic emergency department. *American journal of* infection control, 45(2), 151–157.
- Drakulovic, M. et al (1999). Supine body position as a risk factor for nosocomial pneumonia in mechanically ventilated patients: a randomised trial. Lancet (London, England), 354(9193), 1851–1858.
- Eltringham, S et al, (2020) Factors associated with risk of stroke-associated pneumonia in patients with dysphagia: A systematic review. *Dysphagia*, 35, 735-44
- Fitch, Z. W et al (2016). Hospital Bed Type, the Electronic Medical Record, and Safe Bed Elevation in the Intensive Care Setting. American journal of medical quality: the official journal of the American College of Medical



- Frey, K., and Ramsberger, G., (2011) Comparison of Outcomes Before and After Implementation of a Water Protocol for Patients with Cerebrovascular Accident and Dysphagia, *J of Neuroscience Nursing*, 43(3), 165-171
- Garon, B.,, et al, (1997) A randomized control study to determine the effects of unlimited oral intake of water in patients with identified aspiration, *J Neurol Rehabil*, 11(3), 139-48.
- Gillman, et al, (2017) Implementing the free water protocol does not result in aspiration pneumonia in carefully selected patients with dysphagia: A systematic review, *Dysphagia*, 32, 345-61.
- Gleeson, K., Eggli, D. F., & Maxwell, S. L. (1997). Quantitative aspiration during sleep in normal subjects. *Chest*, 111(5), 1266–1272.
- Hannawi, Y., et al (2013). Stroke-associated pneumonia: major advances and obstacles. Cerebrovascular diseases (Basel, Switzerland), 35(5), 430–443
- Hinchey, J. A., Shephard, T., Furie, K., Smith, D., Wang, D., Tonn, S., & Stroke Practice Improvement Network Investigators (2005). Formal dysphagia screening protocols prevent pneumonia. *Stroke*, *36*(9), 1972–1976.
- Kalil, A. et al. (2016). Management of Adults With Hospital-acquired and Ventilator-associated Pneumonia: 2016 Clinical Practice Guidelines by the Infectious Diseases Society of America and the American Thoracic Society. Clinical infectious diseases: an official publication of the Infectious Diseases Society of America, 63(5), e61-e111



- Kalra, L., Irshad, S., Hodsoll, J., Simpson, M., Gulliford, M., Smithard, D., Patel, A., Rebollo-Mesa, I., & STROKE-INF Investigators (2015). Prophylactic antibiotics after acute stroke for reducing pneumonia in patients with dysphagia (STROKE-INF): a prospective, cluster-randomised, open-label, masked endpoint, controlled clinical trial. *Lancet (London, England)*, 386(10006), 1835–1844.
- Karagiannis, M., and Karagiannis, T., (2014) Oropharyngeal dysphagia, free water protocol and quality of life: An update from a prospective clinical trial, Hellenic J Nucl Med, 17, 26-9.
- Karagiannis, M., et al, (2011) Effects of oral intake of water in patients with oropharyngeal dysphagia BMC Geriatr, 1(11) 9
- Kennedi, H., et al, (2019) Implementation and analysis of a free water protocol in acute trauma and stroke patients, *Criti Care Nurse*, 39(3), e9-e17.
- Khan, B. A., et al (2012). Effect of bed head elevation during sleep in symptomatic patients of nocturnal gastroesophageal reflux. *Journal of* gastroenterology and hepatology, 27(6), 1078–1082.
- Khan, R., et al (2016). The impact of implementing multifaceted interventions on the prevention of ventilator-associated pneumonia. *American journal of infection control*, 44(3), 320–326.
- Kishida, Y., et al, (2013) Relationship between dysphagia and serum Substance
 Plevel in chronic central pervous disease. Int. Int. Clin Med. 4, 86-90.



- Klompas M. (2017). What is new in the prevention of nosocomial pneumonia in the ICU?. Current opinion in critical care, 23(5), 378–384.
- Klompas M. (2019). Prevention of Intensive Care Unit-Acquired Pneumonia. Seminars in respiratory and critical care medicine, 40(4), 548–557
- Lacerna, C.et al. (2020). A successful program preventing nonventilator hospital-acquired pneumonia in a large hospital system. *Infection control and hospital epidemiology*, 41(5), 547–552.
- Lindenauer, P. et al (2018). Variation in the Diagnosis of Aspiration Pneumonia and Association with Hospital Pneumonia Outcomes. *Annals of the American Thoracic Society*, 15(5), 562–569.
- Liu, Y., et al (2017). Metoclopramide for preventing nosocomial pneumonia in patients fed via nasogastric tubes: a systematic review and meta-analysis of randomized controlled trials. *Asia Pacific journal of clinical nutrition*, 26(5), 820–828.
- Llaurado-Serra, M., Ulldemolins, M., Güell-Baró, R., Coloma-Gómez, B., Alabart-Lorenzo, X., López-Gil, A., Bodí, M., Rodriguez, A., Jiménez-Herrera, M. F., & CAPCRI Study Investigators (2015). Evaluation of head-of-bed elevation compliance in critically ill patients under mechanical ventilation in a polyvalent intensive care unit. *Medicina intensiva*, 39(6), 329–336.



- McLaughlin, J. et al (2015). Clinical and economic burden of community-acquired pneumonia in the Veterans Health Administration, 2011: a retrospective cohort study. *Infection*, 43(6), 671–680.
- Miarons, M., et al (2018). Increased levels of substance P in patients taking beta-blockers are linked with a protective effect on oropharyngeal dysphagia. Neurogastroenterology and motility: the official journal of the European Gastrointestinal Motility Society, 30(9), e13397.
- Murray, et al, (2016) Does a water protocol improve the hydration and health status of individuals with thin liquid aspiration following stroke? A Randomized controlled trial, *Dysphagia*, 31, 424-33.
- Niël-Weise, B. S., Gastmeier, P., Kola, A., Vonberg, R. P., Wille, J. C., van den Broek, P. J., & Bed Head Elevation Study Group (2011). An evidence-based recommendation on bed head elevation for mechanically ventilated patients. *Critical care (London, England)*, 15(2), R111.
- Niimi, M. et al, (2018) Relationship between frequency of spontaneous swallowing and salivary substance P level in patients with acute stroke", Dysphagia, 33, 414-18.
- Parks Thomas, C., et al, (2012) Incidence and cost of pneumonia in Medicare beneficiaries, Chest Infections, 142, 973-981.
- Patty, C. M., et al (2021). Incidence and Predictors of Nonventilator
 Hospital-Acquired Pneumonia in a Community Hospital. *Journal of nursing*



- Pooyaniam S., et al, (2015) Effects of a free water protocol on inpatients in a neuro-rehabilitation setting, Open J Ther Rehabil, 3, 132-38.
- Ramirez, J. et al (2017) Adults Hospitalized With Pneumonia in the United States: Incidence, Epidemiology, and Mortality. Clinical infectious diseases: an official publication of the Infectious Diseases Society of America, 65(11), 1806–1812.
- Sampson, E. L., Candy, B., & Jones, L. (2009). Enteral tube feeding for older people with advanced dementia. The Cochrane database of systematic reviews, 2009(2), CD007209.
- Schallom, M., et al (2015). Head-of-bed elevation and early outcomes of gastric reflux, aspiration and pressure ulcers: a feasibility study. American journal of critical care: an official publication, American Association of Critical-Care Nurses, 24(1), 57–66.
- Schrock, J. et al (2018). The use of an emergency department dysphagia screen is associated with decreased pneumonia in acute strokes. *The American journal of emergency medicine*, *36*(12), 2152–2154.
- Scott, D. R., & Simon, R. A. (2015). Supraesophageal Reflux: Correlation of Position and Occurrence of Acid Reflux-Effect of Head-of-Bed Elevation on Supine Reflux. The journal of allergy and clinical immunology. In practice, 3(3), 356–361.



- Tong, S., Amand, C., Kieffer, A. et al. (2018) Trends in healthcare utilization and costs associated with pneumonia in the United States during 2008–2014. BMC Health Serv Res 18, 715.
- Verkman, A et al (2000) Aquaporin water channels and lung physiology. Am J Physiol Lung Cell Mol Physiol, 278, L867-79.
- Vieira, P. C., de Oliveira, R. B., & da Silva Mendonça, T. M. (2020). Should oral chlorhexidine remain in ventilator-associated pneumonia prevention bundles?. *Medicina intensiva*, S0210-5691(20)30325-9. Advance online publication.
- Warren, C., et al (2019) A nurse driven oral care protocol to reduce hospital acquired pneumonia. Am J Nursing, 119(2), 44-51
- Yuan, D., et al. (2020). Intensified Oral Hygiene Care in Stroke-Associated Pneumonia: A Pilot Single-Blind Randomized Controlled Trial. *Inquiry: a journal of medical care organization, provision and financing*, 57, 46958020968777.
- Zhao, T., et al (2020). Oral hygiene care for critically ill patients to prevent ventilator-associated pneumonia. The Cochrane database of systematic reviews, 12, CD008367.